

Trace-Colors Pro Multi Test Kit Page 1 of 18

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier 1.1

Product name: Trace-Colors Pro Multi Test Kit

Product code: R21515

1.2 Relevant identified uses of the substance or mixture and uses advised against

Aquarium water quality test kit.

1.3 Details of the supplier of the safety data sheet

Red Sea Fish Pharm Ltd Free Trade Industrial Zone Eilat 88000 Israel

Tel: +972-9-9567107

E-mail address of person responsible for this SDS: sharonr@redseafish.co.il

1.4 Emergency telephone number

Emergency telephone number (with hours of operation): N/A

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to 29 CFR 1910.1200 (OSHA HCS):

Iron test kit

Reagent A	Reagent B
Not classified	Met. Corr. 1 H290
	Skin Corr. 1A H314
	Acute Tox. 4 H302, H312
	Skin Sens. 1 H317
	Carc. 2 H351
	STOT RE 2 H373
	Aquatic Acute 1 H400

Potassium pro test kit

Reagent A	Reagent B	Reagent C	Reagent D
Met. Corr. 1 H290	Acute Tox. 4 H302	Not classified	Acute Tox. 4 H302
Skin Corr. 1A H314			Aquatic Acute 1 H400

lodine pro test kit

Reagent A	Reagent B	Standard 0.06
Aquatic Acute 2 H401	Met. Corr. 1 H290	Not classified
	Skin Corr. 1A H314	



Trace-Colors Pro Multi Test Kit

Page 2 of 18

Classification in accordance to Regulation (EC) No. 1272/2008 (CLP):

Iron test kit

Reagent A	Reagent B
Not classified	Met. Corr. 1 H290
	Skin Corr. 1A H314
	Acute Tox. 4 H302, H312
	Skin Sens. 1 H317
	Carc. 2 H351
	STOT RE 2 H373
	Aquatic Acute 1 H400

Potassium pro test kit

Reagent A	Reagent B	Reagent C	Reagent D
Met. Corr. 1 H290	Acute Tox. 4 H302	Not classified	Acute Tox. 4 H302
Skin Corr. 1A H314			Aquatic Acute 1 H400

lodine pro test kit

Reagent A	Reagent B	Standard 0.06
Not classified	Met. Corr. 1 H290	Not classified
	Skin Corr. 1A H314	

See section 16 for the full text of the H-statements declared above.

2.2 Label elements

Labelling according to 29 CFR 1910.1200 (OSHA HCS)

Iron test kit - Reagent A

Hazard pictogram(s): Not required

Signal word: Not required

Hazard statement(s): Not required

Precautionary Statement(s): Not required

Iron test kit - Reagent B

Hazard pictogram(s):









Signal word: Danger

Hazard statement(s):

H290: May be corrosive to metals.

H314: Causes severe skin burns and eye damage.

H317: May cause an allergic skin reaction.

H302: Harmful if swallowed.

H312 Harmful in contact with skin.

H351: Suspected of causing cancer.

H373: May cause damage to organs.

H400: Very toxic to aquatic life.



Trace-Colors Pro Multi Test Kit

Page 3 of 18

Precautionary Statement(s):

P234: Keep only in original container.

P102: Keep out of reach of children.

P201: Obtain special instructions before use.

P281: Use personal protective equipment as required.

P301 + P330 + P331 + P310: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON Center or doctor/physician.

P303 + P361 + P353 + P310: IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. Immediately call a POISON Center or doctor/physician. P305 + P351 + P338 + P310: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON Center or doctor/physician.

P273: Avoid release to the environment.

Potassium pro test kit - Reagent A

Hazard pictogram(s):



Signal word: Danger

Hazard statement(s):

H290: May be corrosive to metals.

H314: Causes severe skin burns and eye damage.

Precautionary Statement(s):

P102: Keep out of reach of children.

P234: Keep only in original container.

P280: Wear protective gloves/ protective clothing/eye protection/face protection.

P301 + P330 + P331 + P310: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON Center or doctor/physician.

P303 + P361 + P353 + P310: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/ shower. Immediately call a POISON Center or doctor/physician. P305 + P351 + P338 + P310: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON Center or doctor/physician.

P363: Wash contaminated clothing before reuse.

Potassium pro test kit - Reagent B

Hazard pictogram(s):



Signal word: Warning
Hazard statement(s):

H302: Harmful if swallowed.



Trace-Colors Pro Multi Test Kit

Page 4 of 18

Precautionary Statement(s):

P301 + P312: IF SWALLOWED: Call a POISON Center or doctor/physician if you feel unwell.

P270: Do not eat, drink or smoke when using this product.

Potassium pro test kit - Reagent C

Hazard pictogram(s): Not required

Signal word: Not required

Hazard statement(s): Not required

Precautionary Statement(s): Not required

Potassium pro test kit - Reagent D

Hazard pictogram(s):





Signal word: Warning

Hazard statement(s):

H302: Harmful if swallowed. H400: Very toxic to aquatic life.

Precautionary Statement(s):

P301 + P312: IF SWALLOWED: Call a POISON Center or doctor/physician if you feel unwell.

P270: Do not eat, drink or smoke when using this product.

P273: Avoid release to the environment.

<u>lodine pro test kit - Reagent A</u>

Hazard pictogram(s): Not required

Signal word: Not required

Hazard statement(s):

H401: Toxic to aquatic life.

Precautionary Statement(s):

P273: Avoid release to the environment.

Iodine pro test kit - Reagent B

Hazard pictogram(s):



Signal word: Danger



Trace-Colors Pro Multi Test Kit

Page 5 of 18

Hazard statement(s):

H290: May be corrosive to metals.

H314: Causes severe skin burns and eye damage.

Precautionary Statement(s):

P102: Keep out of reach of children.

P234: Keep only in original container.

P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331 + P310: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON Center or doctor/physician.

P303 + P361 + P353 + P310: IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. Immediately call a POISON Center or doctor/physician. P305 + P351 + P338 + P310: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON Center or doctor/physician.

P363: Wash contaminated clothing before reuse.

<u>lodine pro test kit – Standard 0.06</u>

Hazard pictogram(s): Not required

Signal word: Not required

<u>Hazard statement(s):</u> Not required <u>Precautionary Statement(s):</u> Not required

Labelling in accordance with Regulation 1272/2008 (CLP)

Iron test kit - Reagent A

Hazard pictogram(s): Not required

Signal word: Not required

<u>Hazard statement(s):</u> Not required <u>Precautionary Statement(s):</u> Not required

Iron test kit - Reagent B

Hazard pictogram(s):









Signal word: Danger

Hazard statement(s):

H290: May be corrosive to metals.

H314: Causes severe skin burns and eye damage.

H317: May cause an allergic skin reaction.

H302: Harmful if swallowed.

H312 Harmful in contact with skin.

H351: Suspected of causing cancer.

H373: May cause damage to organs.

H400: Very toxic to aquatic life.



Trace-Colors Pro Multi Test Kit

Page 6 of 18

Precautionary Statement(s):

P234: Keep only in original container.

P102: Keep out of reach of children.

P201: Obtain special instructions before use.

P281: Use personal protective equipment as required.

P301 + P330 + P331 + P310: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON Center or doctor/physician.

P303 + P361 + P353 + P310: IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. Immediately call a POISON Center or doctor/physician. P305 + P351 + P338 + P310: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON Center or doctor/physician.

P273: Avoid release to the environment.

Potassium pro test kit - Reagent A

Hazard pictogram(s):



Signal word: Danger

Hazard statement(s):

H290: May be corrosive to metals.

H314: Causes severe skin burns and eye damage.

Precautionary Statement(s):

P102: Keep out of reach of children.

P234: Keep only in original container.

P280: Wear protective gloves/ protective clothing/eye protection/face protection.

P301 + P330 + P331 + P310: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON Center or doctor/physician.

P303 + P361 + P353 + P310: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/ shower. Immediately call a POISON Center or doctor/physician. P305 + P351 + P338 + P310: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON Center or doctor/physician.

P363: Wash contaminated clothing before reuse.

Potassium pro test kit - Reagent B

Hazard pictogram(s):



Signal word: Warning Hazard statement(s):

H302: Harmful if swallowed.



Trace-Colors Pro Multi Test Kit

Page 7 of 18

Precautionary Statement(s):

P301 + P312: IF SWALLOWED: Call a POISON Center or doctor/physician if you feel unwell.

P270: Do not eat, drink or smoke when using this product.

Potassium pro test kit - Reagent C

Hazard pictogram(s): Not required

Signal word: Not required

<u>Hazard statement(s):</u> Not required <u>Precautionary Statement(s):</u> Not required

Potassium pro test kit - Reagent D

<u>Hazard pictogram(s):</u>





Signal word: Warning

Hazard statement(s):

H302: Harmful if swallowed. H400: Very toxic to aquatic life.

Precautionary Statement(s):

P301 + P312: IF SWALLOWED: Call a POISON Center or doctor/physician if you feel unwell.

P270: Do not eat, drink or smoke when using this product.

P273: Avoid release to the environment.

<u>lodine pro test kit - Reagent A</u>

Hazard pictogram(s): Not required

Signal word: Not required

Hazard statement(s): Not required

Precautionary Statement(s): Not required

Iodine pro test kit - Reagent B

Hazard pictogram(s):



Signal word: Danger

Hazard statement(s):

H290: May be corrosive to metals.

H314: Causes severe skin burns and eye damage.



Trace-Colors Pro Multi Test Kit

Page 8 of 18

Precautionary Statement(s):

P102: Keep out of reach of children. P234: Keep only in original container.

P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331 + P310: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON Center or doctor/physician.

P303 + P361 + P353 + P310: IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. Immediately call a POISON Center or doctor/physician. P305 + P351 + P338 + P310: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON Center or doctor/physician.

P363: Wash contaminated clothing before reuse.

<u>lodine pro test kit – Standard 0.06</u>

Hazard pictogram(s): Not required

Signal word: Not required

Hazard statement(s): Not required

Precautionary Statement(s): Not required

2.3 Other hazard

Not available

SECTION 3: Composition/information on ingredients

3.2 Mixtures:

Iron test kit - Reagent A

No components need to be reported according to the applicable regulations.

Iron test kit - Reagent B

Substance name	Identifiers	%	CLP Classification	OSHA HCS Classification
Hydroxylamine hydrochloride	CAS number: 5470-11-1 EC number: 226-798-2	25-50	Met. Corr. 1 H290 Acute Tox. 4 H302, H312 Skin Irrit. 2 H315 Skin Sens. 1 H317 Eye Irrit. 2 H319 Carc. 2 H351 STOT RE 2 H373 Aquatic Acute 1	Met. Corr. 1 H290 Acute Tox. 4 H302, H312 Skin Irrit. 2 H315 Skin Sens. 1 H317 Eye Irrit. 2A H319 Carc. 2 H351 STOT RE 2 H373 Aquatic Acute 1 H400
Acetic acid	CAS number: 64-19-7 EC number: 200-580-7	5-10	Flam. Liq. 3 H226 Skin Corr. 1A H314	Flam. Liq. 3 H226 Skin Corr. 1A H314
Sodium hydroxide	CAS number: 1310-73-2 EC number: 215-185-5	1-5	Skin Corr. 1A H314	Skin Corr. 1A H314
1,3-diamino-7- (diethylamino)-4- methylphenoxazin-5-ium tetrachlorozincate (2:1)	CAS number: 81029-05-2 EC number: 279-675-0	1-5	Skin Irrit. 2 H315 Eye Irrit. 2 H319 STOT SE 3 H335	Skin Irrit. 2 H315 Eye Irrit. 2A H319 STOT SE 3 H335
2,2'-Bipyridyl	CAS number: 366-18-7 EC number: 206-674-4	<1	Acute Tox. 3 H301, H311	Acute Tox. 3 H301, H311



Trace-Colors Pro Multi Test Kit

Page 9 of 18

Substance name	Identifiers	%	CLP Classification	OSHA HCS Classification
Hydrochloric acid	CAS number: 7647-01-0 EC number: 231-595-7	<1	Skin Corr. 1B H314 STOT SE 3 H335	Skin Corr. 1B H314 STOT SE 3 H335

Potassium pro test kit - Reagent A

Substance name	Identifiers	%	CLP Classification	OSHA HCS Classification
Sodium hydroxide	CAS number: 1310-73-2 EC number: 215-185-5	10-25	Skin Corr. 1A H314	Skin Corr. 1A H314

Potassium pro test kit - Reagent B

Substance name	Identifiers	%	CLP Classification	OSHA HCS Classification
Ethylene glycol	CAS number: 107-21-1 EC number: 203-473-3	25-50	Acute Tox. 4 H302	Acute Tox. 4 H302
Sodium tetraphenylborate	CAS number: 143-66-8 EC number: 205-605-5	1-5	Acute Tox. 3 H301	Acute Tox. 3 H301

Potassium pro test kit - Reagent C

No components need to be reported according to the applicable regulations.

Potassium pro test kit - Reagent D

Substance name	Identifiers	%	CLP Classification	OSHA HCS Classification
Cetrimonium bromide	CAS number: 57-09-0 EC number: 200-311-3	<1	Acute Tox. 4 H302 Eye Dam. 1 H318 Skin Irrit. 2 H315 STOT SE 3 H335 Aquatic. Acute 1 H400	Acute Tox. 4 H302 Eye Dam. 1 H318 Skin Irrit. 2 H315 STOT SE 3 H335 Aquatic. Acute 1 H400
Ethylene glycol	CAS number: 107-21-1 EC number: 203-473-3	5-25	Acute Tox. 4 H302	Acute Tox. 4 H302

lodine pro test kit - Reagent A

Substance name	Identifiers	%	CLP Classification	OSHA HCS Classification
Sodium nitrite	CAS number: 7632-00-0 EC number: 231-555-9	4	Ox. Sol. 3 H272 Acute Tox. 3 H301 Aquatic Acute 1 H400	Ox. Sol. 3 H272 Acute Tox. 3 H301 Aquatic Acute 1 H400

lodine pro test kit - Reagent B

Substance name	Identifiers	%	CLP Classification	OSHA HCS Classification
Nitric acid (70%)	CAS number: 7697-37-2 EC number: 231-714-2	25-50	Ox. Sol. 3 H272 Skin Corr. 1A H314	Ox. Sol. 3 H272 Skin Corr. 1A H314
Ammonium iron bis(sulphate)	CAS number: 7783-83-7 EC number: N/A	5-10	Not available	Not available



Trace-Colors Pro Multi Test Kit

Page 10 of 18

Iodine pro test kit - Standard 0.06

Substance name	Identifiers	%	CLP Classification	OSHA HCS Classification
Potassium iodate	CAS number: 7758-05-6 EC number: 231-831-9	5-10	Not available	Not available

See section 16 for the full text of the H-statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eyes contact: In case of contact with eyes, rinse immediately with plenty of water for at least 15

minutes. Get medical attention.

Skin contact: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty

of water. Get medical attention.

Inhalation: Remove the victim from site of exposure to fresh air. If breathing is difficult, give

oxygen. If not breathing give artificial respiration. Get medical attention.

Ingestion: Do not induce vomiting. If victim is conscious, wash mouth thoroughly with plenty of

water. Never give anything by mouth to an unconscious person. Get medical attention.

4.2 Most important symptoms and effects, both acute and delayed

See section 2.2 (Label elements) and/or section 11 (Toxicological information) for the most important known symptoms and effects.

4.3 Indication of any immediate medical attention and special treatment needed

Not available

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

<u>Suitable</u>: Use extinguishing media suitable to the surroundings such as, dry chemical powder, chemical foam, water spray and carbon dioxide.

Not suitable: N/A

5.2 Special hazards arising from the substance or mixture

The reagents tend to be water based and are not combustible or explosive. However, during heating may give off flammable fumes which if sufficient quantity is present may become flammable or explosive in a confined space. When heated sufficiently, product may decompose to form smoke and toxic fumes, gases or vapours that may cause dizziness.

5.3 Advice for firefighters

Special protective equipment for fire fighters: Fire fighters should wear full protective clothing and self-contained breathing apparatus in positive pressure mode.



Trace-Colors Pro Multi Test Kit

Page 11 of 18

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Ventilate area of spill.

6.2 Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas.

6.3 Methods and materials for containment and cleaning up

<u>For liquid:</u> Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations.

<u>For solid:</u> Pick up and place in a suitable container for reclamation or disposal, using a method that does not generate dust.

6.4 Reference to other sections

See Section 1 for emergency contact information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapors, mist or gas. Wash thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also section 8 for additional information measures.

7.2 Conditions for safe storage, including any incompatibilities

Storage: Keep only in original container. Avoid large temperature changes and store in a cool, dry, well ventilated environment and away from direct sunlight. Keep containers closed when not in use. Keep away from acids, alkalis, oxidizing compounds and metals.

7.3 Specific end use(s): N/A

SECTION 8: Exposure control/personal protection

8.1 Control parameters

Substance name	Occupational exposure limits
Acetic acid	ACGIH-TLV 10 ppm (TWA), 15 ppm (STEL)
	OSHA-PEL 10 ppm (TWA)
	NIOSH-REL 10 ppm (TWA), 15 ppm (STEL), 10H
Sodium hydroxide	ACGIH-TLV 2 mg/m ³ (CEIL)
	OSHA-PEL 2 mg/m³ (TWA)
	NIOSH-REL 2 mg/m ³ (TWA), 15M
Hydrochloric acid	ACGIH-TLV 2 ppm (CEIL)
	OSHA-PEL 5 ppm (CEIL)
	NIOSH-REL 5 ppm (CEIL)
Ethylene glycol	ACGIH-TLV 100 mg/m ³ (CEIL), aerosol



Trace-Colors Pro Multi Test Kit

Page 12 of 18

Nitric acid	ACGIH-TLV 2 ppm (TWA), 4 (STEL)
	OSHA-PEL 5 ppm (TWA)
	NIOSH-REL 2 ppm (TWA), 4 (STEL), 10H
Ammonium iron bis(sulphate)	ACGIH-TLV 1 mg(Fe)/m ³ (TWA)

8.2 Exposure controls

Engineering measures

Use process enclosures, local exhaust ventilation, or others engineering controls to keep airborne levels below recommend exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Person protective measures

<u>Respiratory protection:</u> Wear appropriate respirator when ventilation is inadequate. Be sure to use an approved/certified equipment or equivalent equipment.

Hand protection: Wear protective gloves to prevent skin exposure.

Eye protection: Wear protective safety glasses.

Skin protection: Wear appropriate long-sleeved clothing to minimize skin contact.

During normal non-professional use of the chemical kit no personal protective equipment is required. However, in case of manufacture or spillage, use as appropriate to the size of the spill.

Environmental exposure controls: Not available

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Potassium pro test kit

	Reagent A	Reagent B	Reagent C	Reagent D
Appearance:	clear liquid	clear liquid	blue clear liquid	clear liquid
Odour:	none	none	none	none
Odour threshold:	N/A	N/A	N/A	N/A
pH:	N/A	N/A	N/A	N/A
Melting point/Freezing point:	N/A	N/A	N/A	N/A
Initial boiling point/boiling range:	N/A	N/A	N/A	N/A
Flash point:	N/A	N/A	N/A	N/A
Evaporation rate:	N/A	N/A	N/A	N/A
Flammability:	non- combustible	non- combustible	non- combustible	non- combustible
Upper/lower flammability or explosive limits:	N/A	N/A	N/A	N/A
Vapor pressure:	N/A	N/A	N/A	N/A
Vapor density:	N/A	N/A	N/A	N/A
Relative Density:	N/A	N/A	N/A	N/A
Solubility(ies):	completely soluble in water to give an alkaline solution	completely soluble in water to give an neutral solution	completely soluble in water to give an alkaline solution	completely soluble in water
Partition coefficient Octanol/Water:	N/A	N/A	N/A	N/A
Auto-ignition temperature:	N/A	N/A	N/A	N/A



Trace-Colors Pro Multi Test Kit

Page 13 of 18

	Reagent A	Reagent B	Reagent C	Reagent D
Decomposition temperature:	N/A	N/A	N/A	N/A
Viscosity:	N/A	N/A	N/A	N/A
Explosive properties:	N/A	N/A	N/A	N/A
Oxidizing properties:	N/A	N/A	N/A	N/A

lodine pro test kit

lodine pro test kit			
	Reagent A	Reagent B	Standard 0.06
Appearance:	clear liquid	clear liquid	white crystalline powder
Odour:	none	pungent	none
Odour threshold:	N/A	N/A	N/A
pH:	N/A	N/A	N/A
Melting point/Freezing point:	N/A	N/A	N/A
Initial boiling point/boiling range:	N/A	N/A	N/A
Flash point:	N/A	N/A	N/A
Evaporation rate:	N/A	N/A	N/A
Flammability:	non-combustible	non-combustible	non-combustible
Upper/lower flammability or explosive limits:	N/A	N/A	N/A
Vapor pressure:	N/A	N/A	N/A
Vapor density:	N/A	N/A	N/A
Relative Density:	N/A	N/A	N/A
Solubility(ies):	completely soluble in water to give an alkaline solution	completely soluble in water to give an acidic solution	completely soluble in water to give an alkaline solution
Partition coefficient Octanol/Water:	N/A	N/A	N/A
Auto-ignition temperature:	N/A	N/A	N/A
Decomposition temperature:	N/A	N/A	N/A
Viscosity:	N/A	N/A	N/A
Explosive properties:	N/A	N/A	N/A
Oxidizing properties:	N/A	N/A	N/A

Iron pro test kit

	Reagent A	Reagent B
Appearance:	Off white, light yellow	blue liquid
	powder	
Odour:	none	acrid
Odour threshold:	N/A	N/A
pH:	7-8	5-6
Melting point/Freezing point:	N/A	N/A
Initial boiling point/boiling range:	N/A	N/A
Flash point:	N/A	N/A
Evaporation rate:	N/A	N/A
Flammability:	non-combustible	non-combustible
Upper/lower flammability or explosive limits:	N/A	N/A
Vapor pressure:	N/A	N/A
Vapor density:	N/A	N/A
Relative Density:	N/A	N/A
Solubility(ies):	completely soluble in	completely soluble in
	water to give a neutral	water to give a neutral
	solution	solution
Partition coefficient Octanol/Water:	N/A	N/A
Auto-ignition temperature:	N/A	N/A



Trace-Colors Pro Multi Test Kit

Page 14 of 18

	Reagent A	Reagent B
Decomposition temperature:	N/A	N/A
Viscosity:	N/A	N/A
Explosive properties:	N/A	N/A
Oxidizing properties:	N/A	N/A

9.2 Other information

Not available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not available.

10.2 Chemical stability

The product is stable under normal handling and storage conditions described in Section 7.

10.3 Possibility of hazardous reactions

Hazardous reactions are not expected, under normal conditions of storage and use.

10.4 Conditions to avoid

Long term exposure to heat and direct sunlight.

10.5 Incompatible materials

Acids, alkalis, oxidising compounds and metals. May produce heat.

10.6 Hazardous decomposition products

Other decomposition products: not available

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity:

Product/substance name	Test	Species	Dose
Hydroxylamine hydrochloride	LD50, Oral	Rat	141 mg/kg
Acetic acid	LD50, Oral	Rat	3310 mg/kg
	LD50, Administration onto the skin	Rabbit	1060 mg/kg
2,2'-Bipyridyl	LD50, Oral	Rat	100 mg/kg
Hydrochloric acid	LC50, Inhalation	Rat	3700 ppm/30M
Ethylene glycol	LD50, Oral	Rat	4700 mg/kg
	LD50, Administration onto the skin	Rabbit	9530 μL/kg
Sodium tetraphenylborate	LD50, Oral	Rat	288 mg/kg
Cetrimonium bromide	LD50, Oral	Rat	410 mg/kg
Sodium nitrite	LC50, Inhalation	Rat	5.5 mg/m ³ /4H
	LD50, Oral	Rat	157.9 mg/kg
Nitric acid	LC50, Inhalation	Rat	130 mg/m ³ /4H

Skin corrosion/irritation: Not available

Serious eye damage/irritation: Not available

Respiratory or skin sensitization: Not available



Trace-Colors Pro Multi Test Kit

Page 15 of 18

<u>Germ cell mutagenicity</u>: No compounds present in the reagents have been identified as having mutagenic toxicity properties.

Carcinogenicity: Iron test kit - Reagent B suspected of causing cancer.

<u>Reproductive toxicity</u>: No compounds present in the reagents have been identified as having reproductive toxicity properties.

Specific target organ toxicity (single exposure): Not available

Specific target organ toxicity (repeated exposure): Not available

Aspiration hazard: Not available

Other effects:

Due to the level of sodium hydroxide present, Potassium pro test - Reagent A is classified as being corrosive and will cause local damage in contact with tissue of the eyes and skin. Inhalation of spray or mist will irritate the respiratory system and ingestion will damage the linings of the mouth, throat and gastro-intestinal tract.

Due to the level of Nitric acid present, Iodine pro test - Reagent B is classified as being corrosive and it extremely destructive to tissue of the mucus membranes and upper respiratory tract, eyes and skin. Iodine pro test - Reagent B and the Iodine Standard also contain compounds at low levels which are known to be irritating to eyes, respiratory system and skin.

SECTION 12: Ecological information

12.1 Toxicity

Not available

12.2 Persistence and Degradability

Compounds present in the reagents would be readily bio-degradable in the environment.

12.3 Bioaccumulative potential

Not available

12.4 Mobility in soil

Though there is no specific information on the mobility of compounds in the reagents, they are soluble under normal environmental conditions in water so would also be expected to be highly mobile in soil.

12.5 Results of PBT and vPvB assessment

Not available

12.6 Other adverse effects

Cetrimonium bromide, in Pro test kit Potassium - Reagent D and Sodium nitrite, in Iodine Pro test kit - Reagent A have been shown to be hazardous to aquatic organisms while a compound present at very low levels (<0.1%) in Iron test kit - Reagent B has been shown to be very toxic to aquatic organisms.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

Packing

Empty containers should be taken for local

recycling, recovery or waste disposal.



Trace-Colors Pro Multi Test Kit

Page 16 of 18

SECTION 14: Transport information

14.1 Un number

ADR/RID: 3316 IMDG: 3316

IATA: 3316

DOT (US): 3316

14.2 UN proper shipping name

ADR/RID: CHEMICAL KIT

IMDG: CHEMICAL KIT

IATA: Chemical kit

DOT (US): Chemical kit

14.3 Transport hazard class(es)

<u>ADR/RID</u>: 9 <u>IMDG</u>: 9 <u>IATA</u>: 9 <u>DOT (US)</u>: 9

14.4 Packing group

ADR/RID: II IMDG: - IATA: II DOT (US): -

14.5 Environmental hazard

ADR/RID: - IMDG: - IATA: - DOT (US): -

14.6 Special precautions for user

Not available

14.7 Transport to bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not available

SECTION 15: Regulatory information

This SDS complies with the following requirements of: EU Regulation (EC) No.1907/2006 (REACH) including amendments Regulation (EC) No.1272/2008 (CLP) 29 CFR 1910.1200 (OSHA HCS)

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

TSCA inventory

The substances in this kit are included on or exempted from the TSCA inventory.

15.2 Chemical safety assessment

Not available



Trace-Colors Pro Multi Test Kit

Page 17 of 18

SECTION 16: Other information

NFPA Rating:

Iron test kit

Reagent A	Reagent B
Health hazard: 0	Health hazard: 3
Fire Hazard: 0	Fire Hazard: 0
Reactivity Hazard: 0	Reactivity Hazard: 0

Potassium pro test kit

<u> </u>			
Reagent A	Reagent B	Reagent C	Reagent D
Health hazard: 3	Health hazard: 2	Health hazard: 0	Health hazard: 2
Fire Hazard: 0	Fire Hazard: 0	Fire Hazard: 0	Fire Hazard: 0
Reactivity Hazard: 0	Reactivity Hazard: 0	Reactivity Hazard: 0	Reactivity Hazard: 0

lodine pro test kit

Reagent A	Reagent B	Standard 0.06
Health hazard: 0	Health hazard: 3	Health hazard: 0
Fire Hazard: 0	Fire Hazard: 0	Fire Hazard: 0
Reactivity Hazard: 0	Reactivity Hazard: 0	Reactivity Hazard: 0

Full text of Hazards Statements referred to in sections 2 and 3:

Met. Corr. - Substance or mixture corrosive to metals

Flam. Liq. - Flammable liquid Ox. Sol. - Oxidising solid Acute Tox. - Acute toxicity

Skin Corr. - Skin corrosion Skin Irrit. - Skin irritation

Eye Dam. - Serious eye damage Skin Sens. - Skin sensitization

Eye Irrit.- Eye irritation

STOT SE - Specific target organ toxicity — single exposure

Carc. - Carcinogenicity

STOT RE - Specific target organ toxicity — repeated exposure

Aquatic Acute - Hazardous to the aquatic environment

H226: Flammable liquid and vapour.

H272: May intensify fire; oxidizer.

H290: May be corrosive to metals.

H301: Toxic if swallowed.

H302: Harmful if swallowed.

H311: Toxic in contact with skin.

H312: Harmful in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

H351: Suspected of causing cancer.

H373: May cause damage to organs through prolonged or repeated exposure.

H400: Very toxic to aquatic life.

H401: Toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.



Trace-Colors Pro Multi Test Kit

Page 18 of 18

Training advice: Before using/handling the product one must read carefully present SDS.

Key Legend Information:

CAS - Chemical Abstract Service

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NTP - National Toxicology program

IARC - International Agency for Research on Cancer

N/A - Not available

R-phrases - Risk phrases

H-statements - Hazard statements

TLV - Threshold Limit Value

TWA - Time-weighted average

STEL - Short-Term Exposure Limit

CSA - Chemical safety assessment

TSCA - United States Toxic Substances Control Act Inventory

Date of issue: 15/10/2015

Version no.: 1

This SDS and the information presented within it are based on data held by Hazmat, Ltd. and the current legislation as at the date stated on it. Anyone wishing to make use of the information presented within this document is obligated to update its instructions from time to time. The information presented in the SDS is based on the manufacturer's data and/ or the supplier of the substance/ product which is the subject of this SDS, as provided to Hazmat, Ltd. by the client and in the absence of such data the information was taken from a variety of literary professional sources. The information presented in this SDS is appropriate for the uses specified in paragraph 1 of the SDS only. It is emphasized, that the information specified in this SDS does not replace specific safety instructions for uses of the substance/ product which is the subject of this SDS, which were not explicitly specified in the SDS. Individual professional consultation should be received, and specific safety instructions should be read prior to any mixing of the substance which is the subject of this SDS with other substances and the stated in this SDS does not cover the entire safety instructions relating to mixing the substance which is the subject of this SDS with other substances and does not constitute a replacement to obtaining specific consultation as stated. Hazmat, Ltd. is not liable to any damage and/ or any loss, financial or otherwise, and will not accept responsibility, directly or indirectly, to damages of any kind, including as a result of failure to update and/ or misunderstanding and/ or misuse/ misinterpretation of the information within the document. Any question arising regarding the use of the SDS should be directed to Hazmat, Ltd., 19 Ha'Melacha st. Rosh Ha'Ayin, Tel: +972-3-9032717, email: hazmat@hazmat.co.il.

The information detailed in this SDS was prepared by Hazmat, Ltd. for the orderer of the SDS and is for their use only. The contents of this SDS is the property of Hazmat, Ltd. only and it is strictly prohibited to copy, modify, edit, distribute, sell or take any other action which involves infringement of Hazmat's copyrights without the prior written consent of Hazmat, Ltd.